



623  
1X\$LUH 0RGHO 18 %HGGLQJ 'LVSRVDO &DELQHW  
(IIHFWLYH  
3DJH RI

7R HPSW\ ZDVWH EDJ  
D /HDYH EORZHWV LQJ ZDVWH EDJ UHPRYDO DQG UHSODF  
E /LIW ZRUN VXUIDFH  
F 5HDFK LQWR RSHQLQJ DQG JUDE ORRVH HQG RI EDJ  
G 3XOO RQ EDJ WR UHOHDVH <sup>32</sup>' ULQJ  
H \$OORZ EDJ WR IDOO LQWR UHIXVH FDQ DQG UHWULHY  
I :LWK ZRUN VXUIDFH VXSSRUWV LQ SODFH UHDFK LQW  
UHPRYLQJ IURP XQLW

1HZ EDJ LQVWDOODWLRQ  
D /LIW ZRUN VXUIDFH  
E 3ODFH EDJ RYHU GXPS IXQQHO  
F 3ODFH <sup>32</sup>' ULQJ RQ WRS RI EDJ DOORZLQJ ORRVH HQ  
ULQJ

)ROORZLQJ FRPSOHWLRQ RI DOO ZRUN DOORZ WKH EORZH  
ZLWKRXW DFWLYLW\ WR SXUJH DLU IURP LQVL~~GH~~ WKH RSH

7X~~OF~~ XQLW DQG FOHDQ VDQLWL]H LQWHULRU VXUIDFHV D

:KHQ DODUP VRXQGV VDIHW\ FRQGLWLRQV DUH QR ORQJH  
QRW EH XLWHG XSWR EOHV LV UHFWLILHG 7KH DODUP VRXQ  
ORZHU RU KLJKHU WKDQ WKH PLQLXP PD[LPXP VHW SRLQ  
HIIHFWLYH XVH GDWH L H FORJJHG

V. MAINTENANCE

,QVSHFW FRQGLWLRQ RI XQLW DQG HOHFWULFDO FRUG SO  
GHWHUPLQH WR EH XQVDIH ZLOO EH UHPRYHG IURP VHUY

7KH VW~~ER~~ HSR[\ F~~DD~~ V~~GD~~ V~~GH~~ V~~OV~~ V~~De~~ V~~h~~ V~~Os~~ V~~X~~ UIDFHV  
chlorinated or halogen based clean(I)-4(ori)-4(na)15(t)-3(ed)4(0>9<0003p)> 50.88 0 T0057>-4<004

