






!"#\$%&' ()
*" +,!"#\$%&' ()





! "\$%&'



!"#\$%&' (\$*#)*+, -""*.+,/&)\$0.)%"& -""*.+,/&)\$0.)%"& 1&"234+4,5',6%#4+\$\$%

Z% T.TX(x

!=(X.
!=%T.&X(
v#;4%B=
?.4.#;. .
?"%B.#
*.' TA.
*).6
*)(T(4(
8=.#;. #%
8="#.
8"+="
3"#;.
3BX.#.
r(#).
Y="B.

S(4<"' (

@.6A.

S.' C(4(C% (

•4T.#% M

•4T.#% # %' %&^1y&%+6&

•#;"4. M

q"&+6;6(B(o(' ,9%#).

•&' (#% M


•&' (#% # , - ./,0- 12345 o.&%;.46B+

o(4;%6' M

A series of horizontal bars in grey, green, and orange, arranged in a pattern that suggests a data visualization or a sequence of states. The bars are of varying lengths and are positioned at regular intervals down the page.


!"#\$%&'	()\$*#)^*+,	-'''*.+,,/(&)\$0.)%'&	-'''*.+,,/(&)\$0.)%'&	1&'234+4,5',6%#4+\$\$%
!6&.<."		M		
	6+<=		S(4C'''	
	q.y%' (#+6			
	v#;4%B=		S(4<''' (
'" %##%<.#,%(y6T4%<		M		
	8y.#%B=		o%(#9(#%) .	
	8y.#%B=		o%(#9(#%) "	
v&%&(<.		M		
	3% &##A.			
	3% &(<			
	•&. T%<		Ž•,, •'	'ahlaan bik
U%#4.#)		M		
	U%##%B=		3(&9(+64" .	
	8X() %B=		rE4C''' ' (#	
5&(((<		M		
	5&((C		»¼½¾¿,ÀÁÂÃÄÅ	
-B&.(4		M		
	2(T&(X		«-ÆÇ!©-	
	•&. T%<		Ž•,, •'	'ahlaan bik
-%&=6.#%&		M		
	-%&=6.#%& #		89(C%%	
@.4%		M		

* (y. 4%
q. B="+
q (&B% #
q " 4%B=
q "&+6; 6(B(
q6#7. T%
%o" ' .#% #



)(#+

()\$*#)*+,7,8"&.4)%.)09: ";
•4T.#% #



|Y="B.

S.' C(4(C%((

)(#+